



HYDRAULIC FITTING AND ADAPTER GUIDE

DALLAS

2621 Irving Blvd.
Dallas, TX 75207
Tel: 214-631-6682

FORT WORTH

701 Riverside Dr.
Fort Worth, TX 76111
Tel: 817-332-5297

GARLAND

2734 W. Kingsley, Ste M
Garland, TX 75041
Tel: 214-703-0994

HOUSTON

4851 Homestead Rd., Ste 148
Houston, TX 77028
Tel: 713-678-4283

LEWISVILLE

542 E. State Hwy 121
Lewisville, TX 75057
Tel: 972-221-5731

LONGVIEW

100A Rothrock Dr.
Longview, TX 75602
Tel: 903-236-7274

MIDLAND































1900 S. Midkiff Rd.
Midland, TX 79701
Tel: 432-682-4673

MIDLOTHIAN



































1290 Eastgate Rd.
Midlothian, TX 76065
Tel: 945-299-1060

TUBE FITTINGS, J.I.C. - S.A.E.

| Dash Number | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 20 | 24 | 32 |
|-------------------------|---------|--------|---------|--------|---------|--------|--------|---------------|--------------|--------------|--------------|--------------|----------|
| Tube O.D. | 1/8 | 3/16 | 1/4 | 5/16 | 3/8 | 1/2 | 5/8 | 3/4 | 7/8 | 1 | 1-1/4 | 1-1/2 | |
| Straight Thread | 5/16-24 | 3/8-24 | 7/16-20 | 1/2-20 | 9/16-18 | 3/4-16 | 7/8-14 | 1 1/16-12 1/4 | 1 1/4-12 1/4 | 1 1/2-11 1/2 | 1 3/4-11 1/2 | | 1/2-12 |
| Pipe Thread Std. | 1/8-27 | 1/8-27 | 1/8-27 | 1/8-27 | 1/4-18 | 3/8-18 | 1/2-14 | 3/4-14 | 1-11 1/4 | 1 1/4-11 1/4 | 1 1/2-11 1/4 | 1 3/4-11 1/4 | 2-11 1/2 |

| | | | | | |
|--|--|---|---|---|---|
|  <p>Y-0302 Short Nut</p> |  <p>Y-0304 Standard Nut</p> | <p>070112</p>  <p>Y-0304-C 37° Cap Nut</p> | <p>070118</p>  <p>Y-0306 Bulkhead Lock Nut</p> |  <p>Y-0306-N Adjustable Lock Nut</p> | <p>070110</p>  <p>Y-0318 37° Nut</p> |
| <p>070115</p>  <p>Y-0319 37° Sleeve</p> |  <p>Y-1700-61 - Str. (1) Male 37° (2) O-Ring Flange Code 61</p> |  <p>Y-1700-62 - Str. (1) Male 37° (2) O-Ring Flange Code 62</p> |  <p>Y-1703-61 - 45° (1) Male 37° (2) O-Ring Flange Code 61</p> |  <p>Y-1703-62 - 45° (1) Male 37° (2) O-Ring Flange Code 62</p> |  <p>Y-1703-F-61 - 45° (1) Male 37° (2) O-Ring Flange Code 61</p> |
|  <p>Y-1703-F-62 - 45° (1) Male 37° (2) O-Ring Flange Code 62</p> |  <p>Y-1704-61 - 90° (1) Male 37° (2) O-Ring Flange Code 61</p> |  <p>Y-1704-62 - 90° (1) Male 37° (2) O-Ring Flange Code 62</p> |  <p>Y-1704-F-61 - 90° (1) Male 37° (2) O-Ring Flange Code 61</p> |  <p>Y-1704-F-62 - 90° (1) Male 37° (2) O-Ring Flange Code 62</p> | <p>070101</p>  <p>Y-2403 - Str. (1)(2) Male 37° Union</p> |
| <p>070119</p>  <p>Y-2403-LH - Str. (1)(2) Male 37° Union Large Hex</p> | <p>070102</p>  <p>Y-2404 - Str. (1) Male 37° (2) Male Pipe</p> | <p>070102L</p>  <p>Y-2404-L - Str. (1) Male 37° (2) Male Pipe-Long</p> |  <p>Y-2404-LL - Str. (1) Male 37° (2) Male Pipe-Ex. Long</p> | <p>070102</p>  <p>RESTRICTOR Y-2404-R - Str. (1) Male 37° (2) Male Pipe</p> | <p>070103</p>  <p>Y-2405 - Str. (1) Male 37° (2) Fem. Pipe</p> |
| <p>070123</p>  <p>Y-2406 - Str. Reducer & Expander (1) 37° Fem. (2) Male 37°</p> |  <p>BLANK Y-2406-BLK - Str. Reducer & Expander (1) 37° Fem. (2) Male 37°</p> |  <p>RESTRICTOR Y-2406-R - Str. Reducer and Expander (1) 37° Fem. (2) Male 37°</p> |  <p>Y-2407 - Str. Reducer (1) 37° Fem. (2) Male 37°</p> | <p>070109</p>  <p>Y-2408 (1) Male 37° Plug</p> | <p>070201</p>  <p>Y-2500-F - 90° (1)(2) Male 37°</p> |

TUBE FITTINGS, J.I.C.- S.A.E., Continued











































| | | | | | |
|--|---|---|---|---|---|
| <p>070202</p>  <p>Y-2501-F - 90° (1) Male 37° (2) Male Pipe</p> | <p>071502</p>  <p>Y-2501-F-L - 90° (1) Male 37° (2) Male Pipe-Long</p> | <p>071602</p>  <p>Y-2501-F-LL - 90° (1) Male 37° (2) Male Pipe-Ex. Long</p> | <p>2</p>  <p>Y-2501-F-LLL - 90° (1) Male 37° (2) Male Pipe-Ex. Ex. Long</p> | <p>2</p>  <p>Y-2501-F-S - 90° (1) Male 37° (2) Male Pipe Swivel</p> | <p>2</p>  <p>RESTRICTOR Y-2501-F-R - 90° (1) Male 37° (2) Male Pipe</p> |
| <p>070203</p>  <p>Y-2502-F - 90° (1) Male 37° (2) Fem. Pipe</p> | <p>070302</p>  <p>Y-2503-F - 45° (1) Male 37° (2) Male Pipe</p> | <p>070301</p>  <p>Y-2504-F - 45° (1)(2) Male 37°</p> | <p>2</p>  <p>Y-2505-F - 45° (1) Male 37° (2) Fem. Pipe</p> | <p>070425</p>  <p>Y-2601-F - Tee (1)(2) Male 37° (3) Male Pipe</p> | <p>070427</p>  <p>Y-2602-F - Tee (1)(2) Male 37° (3) Fem. Pipe</p> |
| <p>070401</p>  <p>Y-2603-F - Tee (1)(2)(3) Male 37°</p> | <p>070424</p>  <p>Y-2605-F - Tee (1)(3) Male 37° (2) Male Pipe</p> | <p>070426</p>  <p>Y-2606-F - Tee (1)(3) Male 37° (2) Fem. Pipe</p> | <p>3</p>  <p>Y-2607-F - Tee (1) Male 37° (2)(3) Male Pipe</p> | <p>070434</p>  <p>Y-2608-F - Tee (1) Male 37° (2) Fem. Pipe (3) Male Pipe</p> | <p>3</p>  <p>Y-2609-F - Tee (1) Male 37° (2)(3) Fem. Pipe</p> |
| <p>1</p>  <p>Y-2610-F - Tee (1) Male 37° (2) (3) Male Pipe</p> | <p>070435</p>  <p>Y-2611-F - Tee (1) Male 37° (2) Male Pipe (3) Fem. Pipe</p> | <p>1</p>  <p>Y-2612-F - Tee (1) Male 37° (2)(3) Fem. Pipe</p> | <p>1</p>  <p>Y-2613-F - Tee (1) Male 37° (2) Male Pipe (3) Fem. Pipe</p> | <p>070501</p>  <p>Y-2650-F - Cross (1)(2)(3)(4) Male 37°</p> | <p>3</p>  <p>Y-2651-F - Cross (1)(3)(4) Male 37° (2) Male Pipe</p> |
| <p>3</p>  <p>Y-2655-F - Cross (1) Male 37° (2)(3)(4) Male Pipe</p> | <p>070601</p>  <p>Y-2700 - Str. (1) Male 37° (2) Male Bulkhead 37°</p> | <p>070701</p>  <p>Y-2701-F - 90° (1) Male 37° (2) Male Bulkhead 37°</p> | <p>070801</p>  <p>Y-2702-F - 45° (1) Male 37° (2) Male Bulkhead 37°</p> | <p>070959</p>  <p>Y-2703-F - Tee (1)(2) Male 37° (2) Male Bulkhead 37°</p> | <p>3</p>  <p>Y-2704-F - Tee (1)(3) Male 37° (2) Male Bulkhead 37°</p> |
| <p>1</p>  <p>Y-2705 - Str. (1) Male Bulkhead 37° (2) Fem. Pipe</p> | <p>1</p>  <p>Y-2706 - Str. (1) Male Bulkhead 37° (2) Male Pipe</p> | <p>1</p>  <p>Y-2710 - Str. (1) Male Bulkhead 37° (2) Fem. O-Ring</p> | <p>1</p>  <p>Y-2711-O - Str. (1) Male Bulkhead 37° (2) Male O-Ring</p> | <p>Bulkheads also available with locknut. Add LN to base number "Y-2700-LN"</p> | |

ADJUSTABLE & O-RING FITTINGS

(Refer to Tube Fittings, "JIC-SAE" Chart for sizes)






















a SunSource Company







| | | | | | |
|--|--|--|--|--|--|
|  <p>4000 - O-Ring Buna-N 90 Duro</p> | <p>070122</p>  <p>BLANK Y-6400-BLK-O (1) Male 37° (2) Male O-Ring</p> | <p>070122</p>  <p>Y-6400-O - Str. (1) Male 37° (2) Male O-Ring</p> | <p>070120</p>  <p>Y-6400-L-O - Str. (1) Male 37° (2) Male O-Ring - Long</p> | <p>070122</p>  <p>RESTRICTOR Y-6400-R-O (1) Male 37° (2) Male O-Ring</p> |  <p>Y-6401-O - Str. (1) Male O-Ring (2) Male Pipe</p> |
|  <p>Y-6402-O - Str. (1) Male O-Ring (2) 37° Fem. Swivel</p> |  <p>Y-6404 - Str. (1) Fem. O-Ring (2) Male Pipe</p> |  <p>Y-6405-O - Str. (1) Male O-Ring (2) Fem. Pipe</p> |  <p>Y-6408-O - Str. (1) Male O-Ring Plug</p> |  <p>Y-6408-HHP-O (1) Hollow Hex Male O-Ring Plug</p> |  <p>Y-6410-O - Str. (1) Male O-Ring (2) Fem. O-Ring</p> |
|  <p>Y-6412 - Str. (1) Fem. O-Ring (2) Fem. Pipe</p> |  <p>Y-6413 - Str. (1)(2) Fem. O-Ring</p> |  <p>Y-6464-NWO - Str. (1) Male O-Ring (2) Adj. O-Ring</p> | <p>070221</p>  <p>Y-6500-F - 90° (1) Male 37° (2) 37° Fem. Swivel</p> |  <p>Y-6500-L - 90° (1) Male 37° (2) 37° Fem. Swivel-Long</p> |  <p>Y-6500-LL - 90° (1) Male 37° (2) 37° Fem. Swivel-Ex. Long</p> |
|  <p>Y-6501-F - 90° (1) 37° Fem. Swivel (2) Male Pipe</p> |  <p>Y-6502-F - 45° (1) Male 37° (2) 37° Fem. Swivel</p> |  <p>Y-6503-F - 90° (1) 37° Fem. Swivel (2) Fem. Pipe</p> |  <p>Y-6504 - Str. (1) Male 37° (2) 37° Fem. Swivel</p> |  <p>Y-6505 - Str. (1) 37° Fem. Swivel (2) Male Pipe</p> |  <p>Y-6506 - Str. (1) 37° Fem. Swivel (2) Fem. Pipe</p> |
|  <p>Y-6507-F - 45° (1) 37° Fem. Swivel (2) Fem. Pipe</p> |  <p>Y-6565 - Str. (1)(2) 37° Fem. Swivel</p> |  <p>Y-6566-F - 90° (1)(2) 37° Fem. Swivel</p> |  <p>Y-6600-F - Tee (1)(2) Male 37° (3) 37° Fem. Swivel</p> | <p>070433</p>  <p>Y-6602-F - Tee (1)(3) Male 37° (2) 37° Fem. Swivel</p> |  <p>Y-6603-F - Tee (1)(2) 37° Fem. Swivel (3) Male 37°</p> |
|  <p>Y-6604-F - Tee (1)(2) 37° Fem. Swivel (3) Male Pipe</p> |  <p>Y-6605-F - Tee (1)(2) 37° Fem. Swivel (3) Fem. Pipe</p> |  <p>Y-6606-F - Tee (1)(2)(3) 37° Fem. Swivel</p> | <p>070220</p>  <p>Y-6801-F-NWO - 90° (1) Male 37° (2) Adj. O-Ring</p> |  <p>Y-6801-F-L-NWO - 90° (1) Male 37° (2) Adj. O-Ring-Long</p> |  <p>Y-6801-F-LL-NWO - 90° (1) Male 37° (2) Adj. O-Ring-Ex. Long</p> |
|  <p>Y-6801-F-LLL-NWO - 90° (1) Male 37° (2) Adj. O-Ring-Ex. Ex. Long</p> | <p>070220</p>  <p>RESTRICTOR Y-6801-F-R-NWO - 90° (1) Male 37° (2) Adj. O-Ring</p> |  <p>Y-6801-F-S-O - 90° (1) Male 37° (2) Male O-Ring Swivel</p> | <p>070320</p>  <p>Y-6802-F-NWO - 45° (1) Male 37° (2) Adj. O-Ring</p> | <p>070429</p>  <p>Y-6803-F-NWO - Tee (1)(2) Male 37° (3) Adj. O-Ring</p> | <p>070428</p>  <p>Y-6804-F-NWO - Tee (1)(3) Male 37° (2) Adj. O-Ring</p> |

ADJUSTABLE & O-RING FITTINGS

(Refer to Tube Fittings, "JIC-SAE" Chart for sizes)

| | | | | | |
|--|--|---|---|---|---|
|  <p>Y-6805-F-NWO - 90° (1) Adj. O-Ring (2) Fem. Pipe</p> |  <p>Y-6805-F-LL-NWO - 90° (1) Adj. O-Ring (2) Fem. Pipe-Ex. Long</p> |  <p>Y-6806-F-NWO - 90° (1) Adj. O-Ring (2) Male Pipe</p> |  <p>Y-6807-F-NWO - 90° (1)(2) Adj. O-Ring</p> |  <p>Y-6808-F-NWO - 45° (1)(2) Adj. O-Ring</p> |  <p>Y-6809-F-NWO - 90° (1) Adj. O-Ring (2) 37° Fem. Swivel</p> |
|  <p>Y-6810-F-NWO - 45° (1) Adj. O-Ring (2) 37° Fem. Swivel</p> |  <p>Y-6815-F-NWO - 90° (1) Adj. O-Ring (2) Fem. O-Ring</p> |  <p>Y-6863-F-NWO - Tee (1) Adj. O-Ring (2)(3) Fem. Pipe</p> |  <p>Y-6864-F-NWO - Tee (1) Adj. O-Ring (2)(3) Fem. Pipe</p> |  <p>Y-6868-F - Tee (1)(2)(3) Fem. O-Ring</p> |  <p>Y-6870-F-NWO - Tee (1) Adj. O-Ring (2)(3) Fem. O-Ring</p> |
|  <p>Y-6871-F-NWO - Tee (1) Adj. O-Ring (2)(3) Fem. O-Ring</p> |  <p>Y-6889-F-NWO - Cross (1) Adj. O-Ring (2)(3)(4) Male 37°</p> |  <p>Y-6892-F - Cross (1)(2)(3)(4) Fem. O-Ring</p> |  <p>Y-6900-O - Str. (1) Adj. O-Ring (2) Fem. Pipe Swivel</p> |  <p>Y-6901-F-NWO - 90° (1) Adj. O-Ring (2) Fem. Pipe Swivel</p> |  <p>Y-6902-F-NWO - 45° (1) Adj. O-Ring (2) Fem. Pipe Swivel</p> |
|  <p>Y-6911-F-NWO - Tee (1) Adj. O-Ring (2)(3) Fem. Pipe Swivel</p> | | | | | |

BEADED HOSE ADAPTERS

| | | | | | |
|--|---|---|--|---|--|
| <p>430160</p>  <p>Y-4404 - Str. (1) Beaded (2) Male Pipe</p> | <p>430260</p>  <p>Y-4501-F - 90° (1) Beaded (2) Male Pipe</p> | <p>430360</p>  <p>Y-4503-F - 45° (1) Beaded (2) Male Pipe</p> |  <p>Y-4601-F-NWO - 90° (1) Beaded (2) Adj. O-Ring</p> |  <p>Y-4603-F-NWO - 45° (1) Beaded (2) Adj. O-Ring</p> |  <p>Y-4604-O - Str. (1) Beaded (2) Male O-Ring</p> |
|--|---|---|--|---|--|

BRAZE FITTINGS FOR TUBING














(Refer to "Tube Fittings, JIC-SAE" Chart for sizes)

| | | | | |
|--|---|--|--|--|
|  <p>Y-0403 (1) Bore (2) Male 37°</p> |  <p>Y-0404 (1) Bore (2) Male Pipe</p> | | | |
|--|---|--|--|--|

PIPE ADAPTER UNIONS

Refer to Chart below for Sizes






























| Dash Number | 2 | 4 | 6 | 8 | 12 | 16 | 20 | 24 | 32 |
|---------------------------------|--------|--------|--------|--------|--------|----------|-------------|-------------|---------|
| Pipe Thread Std. NPSM - NPTF | 1/8-27 | 1/4-18 | 3/8-18 | 1/2-14 | 3/4-14 | 1-11 1/2 | 1 1/4-1 1/2 | 1 1/2-1 1/2 | 2-1 1/2 |

| | | | | |
|--|---|--|---|--|
| <p>140130</p>  <p>Y-1404 - Str. (1) Male Pipe (2) Fem. Pipe Swivel</p> | <p>140131</p>  <p>RESTRICTOR Y-1404-R - Str. (1) Male Pipe (2) Fem. Pipe Swivel</p> | <p>140131</p>  <p>Y-1405 - Str. (1) Fem. Pipe (2) Fem. Pipe Swivel</p> | <p>140131</p>  <p>Y-1406 - Str. (1) Fem. Pipe (2) Fem. Pipe Swivel</p> | <p>140230</p>  <p>Y-1501-F - 90° (1) Male Pipe (2) Fem. Pipe Swivel</p> |
|  <p>Y-1501-F-LL - 90° (1) Male Pipe (2) Fem. Pipe Swivel</p> | <p>140330</p>  <p>RESTRICTOR Y-1501-F-R - 90° (1) Male Pipe (2) Fem. Pipe Swivel</p> |  <p>Y-1502-F - 90° (1) Fem. Pipe (2) Fem. Pipe Swivel</p> |  <p>Y-1503-F - 45° (1) Male Pipe (2) Fem. Pipe Swivel</p> |  <p>Y-1504-F - 45° (1) Fem. Pipe (2) Fem. Pipe Swivel</p> |
|  <p>Y-1601-F - Tee (1) Male Pipe (2)(3) Fem. Pipe Swivel</p> |  <p>Y-1602-F - Tee (1) Fem. Pipe (2)(3) Fem. Pipe Swivel</p> |  <p>Y-1603-F - Tee (1)(2)(3) Fem. Pipe Swivel</p> | | |

PIPE FITTINGS

Refer to Chart below for Sizes

| Dash Number | 2 | 4 | 6 | 8 | 12 | 16 | 20 | 24 | 32 |
|---|------|-------|-------|-------|--------|--------|-------------|-------------|---------|
| Pipe Thread Std. NPSM - NPTF | 1/27 | 1/418 | 3/418 | 1/414 | 3/4-14 | 1-11/2 | 1 1/4-1 1/2 | 1 1/2-1 1/2 | 2-1 1/2 |

| | | | | | |
|--|--|---|---|---|---|
| <p>140138</p>  <p>Y-5000 - Str. (1)(2) Fem. Pipe</p> | <p>140137</p>  <p>Y-5404 - Str. (1)(2) Male Pipe</p> | <p>140139</p>  <p>Y-5404-N - Str. Nipple (1)(2) Male Pipe</p> | <p>140139</p>  <p>Y-5405 - Str. (1) Male Pipe (2) Fem. Pipe</p> | <p>140139</p>  <p>BLANK Y-5405-BLK - Str. (1) Male Pipe (2) Fem. Pipe</p> | <p>140139</p>  <p>RESTRICTORS Y-5405-R - Str. (1) Male Pipe (2) Fem. Pipe</p> |
| <p>140140</p>  <p>Y-5406 - Str. Bushing (1) Male Pipe (2) Fem. Pipe</p> | <p>140140</p>  <p>Y-5406-C PipeCap</p> | <p>140140</p>  <p>Y-5406-HHP (1) Hollow Hex Pipe Plug</p> | <p>130109E</p>  <p>Y-5406-P - Plug (1) Pipe Plug</p> | <p>130109E</p>  <p>Y-5406-SHP (1) Pipe Plug Square Head</p> | <p>140140</p>  <p>Y-5500-F - 90° (1)(2) Male Pipe</p> |
| <p>140239</p>  <p>Y-5500-F-S - 90° (1) Male Pipe Swivel (2) Male Pipe</p> | <p>140239</p>  <p>Y-5501-F - 45° (1)(2) Male Pipe</p> | <p>140239</p>  <p>Y-5502-F - 90° (1) Male Pipe (2) Fem. Pipe</p> | <p>140239</p>  <p>Y-5502-F-S - 90° (1) Male Pipe Swivel (2) Fem. Pipe</p> | <p>140239</p>  <p>Y-5502-SB - 90° Short Body (1) Male Pipe (2) Fem. Pipe</p> | <p>140339</p>  <p>Y-5503-F - 45° (1) Male Pipe (2) Fem. Pipe</p> |
| <p>140238</p>  <p>Y-5504-F - 90° (1)(2) Fem. Pipe</p> | <p>140338</p>  <p>Y-5505-F - 45° (1)(2) Fem. Pipe</p> | <p>140238</p>  <p>Y-5600-F - Tee (1)(2)(3) Male Pipe</p> | <p>140238</p>  <p>Y-5601-F - Tee (1)(2) Male Pipe (3) Fem. Pipe</p> | <p>140424</p>  <p>Y-5602-F - Tee (1) Male Pipe (2)(3) Fem. Pipe</p> | <p>140424</p>  <p>Y-5603-F - Tee (1)(3) Male Pipe (2) Fem. Pipe</p> |
| <p>140425</p>  <p>Y-5604-F - Tee (1)(2) Fem. Pipe (3) Male Pipe</p> | <p>140438</p>  <p>Y-5605-F - Tee (1)(2)(3) Fem. Pipe</p> | <p>140425</p>  <p>Y-5652-F - Cross (1)(2)(3)(4) Fem. Pipe</p> | <p>140425</p>  <p>Y-5653-F - Cross (1)(2) Male Pipe (3)(4) Fem. Pipe</p> | <p>140425</p>  <p>Y-5655-F - Cross (1) Male Pipe (2)(3)(4) Fem. Pipe</p> | |



a SunSource Company



DALLAS

2621 Irving Blvd.
Dallas, TX 75207
Tel: 214-631-6682



FORT WORTH

701 Riverside Dr.
Fort Worth, TX 76111
Tel: 817-332-5297




GARLAND

2734 W. Kingsley, Ste M
Garland, TX 75041
Tel: 214-703-0994



HOUSTON

4851 Homestead Rd., Ste 148
Houston, TX 77028
Tel: 713-678-4283




LEWISVILLE

542 E. State Hwy 121
Lewisville, TX 75057
Tel: 972-221-5731




LONGVIEW

100A Rothrock Dr.
Longview, TX 75602
Tel: 903-236-7274



MIDLAND

1900 S. Midkiff Rd.
Midland, TX 79701
Tel: 432-682-4673



MIDLOTHIAN

1290 Eastgate Rd.
Midlothian, TX 76065
Tel: 945-299-1060



SCAN FOR WEBSITE

**For 24-Hour
Emergency
Service, Call
877.299.0244**